ELSEVIER

Journal of Crystal Growth 149 (1995) 273–275

JOURNAL OF CRYSTAL GROWTH

Author index

Aindow, M., see Beanland 149 (1995) 1
Arnold, S., see Na 149 (1995) 229
Asahi, T., Y. Taniguchi, A. Koyama and O. Oda, Characterization of 100 mm diameter CdZnTe single crystals grown by the vertical gradient freezing method 149 (1995) 23

Barz, R.U. and P. Gille, The mechanism of inclusion formation during crystal growth by the travelling heater method 149 (1995) 196
Beanland, R., M. Aindow, T.B. Joyce, P. Kidd, M. Lourenço and P.J. Goodhew, A study of surface cross-hatch and misfit dislocation structure in $In_{0.15}Ga_{0.85}As$/GaAs grown by chemical beam epitaxy 149 (1995) 1
Bennema, P., see Strom 149 (1995) 96
Bennema, P., see Strom 149 (1995) 107
Bernardi, S., see Sochinskii 149 (1995) 35
Bolkhovityanov, Yu.B., A.M. Gilinsky, N.V. Nomerotsky, E.M. Trukhanov and A.S. Jaroshevich, Liquid phase epitaxial growth of elastically strained $In_xGa_{1-x}P$ and $In_xGa_{1-x}As_yP_{1-y}$ solid solutions on GaAs substrates 149 (1995) 17

Cao, L.Z., see Jin 149 (1995) 269
Chen, F., see Lu 149 (1995) 131
Chen, Jyh-Chen and Chieh Hu, Measurement of the float-zone interface shape for lithium niobate 149 (1995) 87
Chen, Z.J., see Jin 149 (1995) 269
Chernov, A.A., S.R. Coriell and B.T. Murray, Kinetic self-stabilization of a stepped interface: growth into a supercooled melt 149 (1995) 120
Chernov, A.A. and H.J. Scheel, Extremely flat surfaces by liquid phase epitaxy 149 (1995) 187
Chong, Y., see Jin 149 (1995) 269
Chung, S.-J., see Jung 149 (1995) 207
Cima, M.J., see McIntyre 149 (1995) 64
Clancy, P., see Yu 149 (1995) 45
Coriell, S.R., see Chernov 149 (1995) 120

Davis, S.H., see Schulze 149 (1995) 253
De Keijser, M. and G.J.M. Dormans, Modelling of organometallic chemical vapour deposition of lead titanate 149 (1995) 215
Deng, M., see Jin 149 (1995) 269
Diéguez, E., see Sochinskii 149 (1995) 35
Djilali, N., Z. Qin and S. Dost, Role of thermosolutal convection in liquid phase electroepitaxial growth of gallium arsenide 149 (1995) 153
Dormans, G.J.M., see De Keijser 149 (1995) 215
Dost, S., see Djilali 149 (1995) 153

Fan, Yu Dian, see Feng 149 (1995) 30
Feng, Jia You, Yi Zheng, Fang Wei Zhang and Yu Dian Fan, p-Type nitrogen doped ZnSe epilayers by ionized cluster beam epitaxy 149 (1995) 30
Franzosi, P., see Sochinskii 149 (1995) 35
Fukazawa, J., see Kubota 149 (1995) 113
Fukuda, T., see Rudolph 149 (1995) 201
Fukuda, T., see Koh 149 (1995) 236
Furukawa, Y., see Koh 149 (1995) 236

Gilinsky, A.M., see Bolkhovityanov 149 (1995) 17
Gille, P., see Barz 149 (1995) 196
Goodhew, P.J., see Beanland 149 (1995) 1
Goto, S., Y. Nomura, Y. Morishita, Y. Katayama and H. Ohno, Growth of GaAs by molecular-beam epitaxy using trisdimethylaminoarsine 149 (1995) 143
Griesche, J., The effect of refraction in reflection high-energy electron diffraction 149 (1995) 141
Grimbergen, R.F.P., see Strom 149 (1995) 96
Grimbergen, R.F.P., see Strom 149 (1995) 107

Hiralal, I.D.K., see Strom 149 (1995) 96
Hiralal, I.D.K., see Strom 149 (1995) 107
Hu, Chieh, see Chen 149 (1995) 87
Huang, G.Y., see Lu 149 (1995) 80
Huang, X., K. Terashima, K. Izunome and S. Kimura, Efffect of antimony-doping on the oxygen segregation coefficient in silicon crystal growth 149 (1995) 59
Hwang, Chi-Chuan and Senpuu Lin, Unsteady thermoelastic analysis of dislocation generation during Czochralski crystal growth 149 (1995) 147

Ichimura, M., Y. Moriguchi, A. Usami, M. Tabuchi and A. Sasaki, Characterization of GaAs heterolayers by micro-Raman spectroscopy 149 (1995) 167
Izunome, K., see Huang 149 (1995) 59

Jaroshevich, A.S., see Bolkhovityanov 149 (1995) 17
Jin, H., N.L. Wang, Y. Chong, M. Deng, L.Z. Cao and Z.J. Chen, Growth of $Bi_2Sr_2Ca_{1-x}Ce_xCu_2O_y$ single crystals from eutectic melts 149 (1995) 269
Joyce, T.B., see Beanland 149 (1995) 1
Jung, S.-T., J.-K. Kang and S.-J. Chung, Crystal growth and X-ray topography of $NdAl_3(BO_3)_4$ 149 (1995) 207

Kang, J.-K., see Jung 149 (1995) 207
Katayama, Y., see Goto 149 (1995) 143
Kawasaki, S., see Rudolph 149 (1995) 201
Kidd, P., see Beanland 149 (1995) 1
Kimura, S., see Huang 149 (1995) 59
Klestov, S.A., see Voronkova 149 (1995) 74
Kletskii, S.V., see Sochinskii 149 (1995) 35
Koenders, B.G., see Strom 149 (1995) 96
Koenders, B.G., see Strom 149 (1995) 107
Koh, H.J., Y. Furukawa, P. Rudolph and T. Fukuda, Oxide mixed crystals grown by heater-immersed zone melting method with multi-capillary holes 149 (1995) 236
Konagaya, Y., see Rudolph 149 (1995) 201
Koyama, A., see Asahi 149 (1995) 23
Kozhemyakin, G.N., Influence of ultrasonic vibrations on the growth of InSb crystals 149 (1995) 266
Kuang, A.X., see Lu 149 (1995) 80
Kubota, N., J. Fukazawa, H. Yashiro and J.W. Mullin, Impurity effect of chromium(III) on the growth and dissolution rates of potassium sulfate crystals 149 (1995) 113

Lan, C.W. and C.C. Ting, Numerical investigation on the batch characteristics of liquid encapsulated vertical Bridgman crystal growth 149 (1995) 175
Li, H., X.-D. Peng and N.-B. Ming, Comparison among the growth mechanisms of stacking fault, twin lamella and screw dislocation: a Monte Carlo simulation 149 (1995) 241
Lin, Senpuu, see Hwang 149 (1995) 147
Lourenço, M., see Beanland 149 (1995) 1
Lu, C.J., G.Y. Huang, A.X. Kuang, S.M. Wang, H.M. Shen and Y.N. Wang, Preparation of $KTa_{0.65}Nb_{0.35}O_3$ thin films by a sol–gel process 149 (1995) 80
Lu, J.W. and F. Chen, Onset of double-diffusive convection of unidirectionally solidifying binary solution with variable viscosity 149 (1995) 131

Matada, S., see Rudolph 149 (1995) 201
McIntyre, P.C., M.J. Cima and A. Roshko, The effects of substrate surface steps on the microstructure of epitaxial $Ba_2YCu_3O_{7-x}$ thin films on (001) $LaAlO_3$ 149 (1995) 64
Ming, N.-B., see Li 149 (1995) 241
Molchanov, V.N., see Voronkova 149 (1995) 74
Moriguchi, Y., see Ichimura 149 (1995) 167
Morishita, Y., see Goto 149 (1995) 143
Mullin, J.W., see Kubota 149 (1995) 113
Murray, B.T., see Chernov 149 (1995) 120
Myerson, A.S., see Na 149 (1995) 229

Na, H.-S., S. Arnold and A.S. Myerson, Water activity in supersaturated aqueous solutions of organic solutes 149 (1995) 229
Noda, S., see Tabuchi 149 (1995) 12
Nomerotsky, N.V., see Bolkhovityanov 149 (1995) 17
Nomura, Y., see Goto 149 (1995) 143

Oda, O., see Asahi 149 (1995) 23
Ohno, H., see Goto 149 (1995) 143

Peng, X.-D., see Li 149 (1995) 241

Qin, Z., see Djilali 149 (1995) 153

Roshko, A., see McIntyre 149 (1995) 64
Rudolph, P., S. Kawasaki, S. Yamashita, Y. Usuki, Y. Konagaya, S. Matada, S. Yamamoto and T. Fukuda, Casting of undoped CdTe crystals with high electrical resistivity 149 (1995) 201
Rudolph, P., see Koh 149 (1995) 236

Saito, Y., see Toyoda 149 (1995) 246
Sasaki, A., see Tabuchi 149 (1995) 12
Sasaki, A., see Ichimura 149 (1995) 167
Scheel, H.J., see Chernov 149 (1995) 187
Schulze, T.P. and S.H. Davis, Shear stabilization of morphological instability during directional solidification 149 (1995) 253
Seibt, E.W., see Voronkova 149 (1995) 74
Shen, H.M., see Lu 149 (1995) 80
Simonov, V.I., see Voronkova 149 (1995) 74
Sochinskii, N.V., S. Bernardi, E. Diéguez, P. Franzosi and S.V. Kletskii, Vapor phase epitaxy of $Hg_{1-x}Cd_xTe$ on CdTe heteroepitaxial substrates 149 (1995) 35
Sorokina, N.I., see Voronkova 149 (1995) 74
Strom, C.S., R.F.P. Grimbergen, I.D.K. Hiralal, B.G. Koenders and P. Bennema, Growth Layers. I. Derivation of F-slices illustrated by sodium oxalate 149 (1995) 96
Strom, C.S., R.F.P. Grimbergen, I.D.K. Hiralal, B.G. Koenders and P. Bennema, Growth Layers. II. Comparison of theoretical and experimental morphology of sodium oxalate 149 (1995) 107

Tabuchi, M., S. Noda and A. Sasaki, Increase of overlayer critical thickness by off-angled substrates 149 (1995) 12
Tabuchi, M., see Ichimura 149 (1995) 167
Taniguchi, Y., see Asahi 149 (1995) 23
Terashima, K., see Huang 149 (1995) 59
Ting, C.C., see Lan 149 (1995) 175
Toyoda, J. and Y. Saito, Alloy solidification: equilibrium phase diagram 149 (1995) 246
Trukhanov, E.M., see Bolkhovityanov 149 (1995) 17

Usami, A., see Ichimura 149 (1995) 167
Usuki, Y., see Rudolph 149 (1995) 201

Voronkova, V.I., V.K. Yanovskii, Th. Wolf, E.W. Seibt, A.A. Zhukov, S.A. Klestov, V.N. Molchanov, N.I. Sorokina and V.I. Simonov, Growth, morphology and superconducting properties of $TmBa_2Cu_3O_{7-x}$ single crystals 149 (1995) 74

Wang, N.L., see Jin 149 (1995) 269
Wang, S.M., see Lu 149 (1995) 80
Wang, Y.N., see Lu 149 (1995) 80
Wolf, Th., see Voronkova 149 (1995) 74

Yamamoto, S., see Rudolph 149 (1995) 201
Yamashita, S., see Rudolph 149 (1995) 201
Yanovskii, V.K., see Voronkova 149 (1995) 74
Yashiro, H., see Kubota 149 (1995) 113
Yu, Q. and P. Clancy, Molecular dynamics simulation of crystal growth in $Si_{1-x}Ge_x/Si(100)$ heterostructures 149 (1995) 45

Zhang, Fang Wei, see Feng 149 (1995) 30
Zheng, Yi, see Feng 149 (1995) 30
Zhukov, A.A., see Voronkova 149 (1995) 74

ELSEVIER

Journal of Crystal Growth 149 (1995) 276–277

JOURNAL OF CRYSTAL GROWTH

Subject index

Alanine 229
Apparatus
– for interface shape monitoring
– – by float-zone technique 87
– for melt growth
– – by casting and growth
– – – of cadmium telluride 201
– – by heater-immersed zone melting with multi-capillary holes
– – – of lithium sodium nitrate 236
– – by ultrasonic Czochralski method
– – – of indium antimonide 266
– for thin film growth
– – by liquid phase electroepitaxy
– – – of gallium arsenide 153

Barium
– strontium calcium cerium cuprate 269

Cadmium
– telluride 201
– zinc telluride 23, 196
Computer simulation
– of critical thickness dependence on off-angle substrates 12
– of defect formation 241
– of encapsulated vertical Bridgman 175
– of interdiffusion in mercury cadmium telluride/cadmium telluride 35
– of silicon germanium grown by liquid phase epitaxy 45
Constitutional supercooling
– of cadmium zinc telluride 196
Convection 131, 153, 175

Device characterization
– diodes 201
– heterojunction
– – by micro Raman spectroscopy 167
– resistivity 201
Diffusional control
– of cadmium telluride composition 201
Diodes, see Device characterization
Dissolution
– of potassium sulphate 113

Epitaxy, see Thin film growth

Gallium
– arsenide 1, 143, 153, 167, 175, 187
– indium arsenide 1
Glycine 229

Heat flow control in encapsulated Bridgman 175
Heterojunction, see Device characterization
Hydrodynamics, see Convection

Indium
– antimonide 266
– arsenide 12
– gallium arsenide 1
– gallium arsenide phosphide 17
– gallium phosphide 17
– phosphide 175

Kinetics
– of defect formation 241
– of growth 45, 113, 187, 215, 229
– of interface control 87, 187
– of nucleation 229
– of oxygen segregation in silicon 59

Lasers, crystals for
– neodymium aluminum borate 207
Lead
– titanate 215
Lithium
– niobate 87
– sodium nitrate 236

Melt growth technique
– by Bridgman–Stockbarger method
– – of gallium arsenide 175
– – of indium phosphide 175
– by Czochralski method
– – of indium antimonide 266
– – theory of dislocation generation by thermoelastic analysis 147
– by floating zone method
– – of lithium niobate 87
– by uniaxial solidification
– – of binary solutions with variable viscosity 131
– – of cadmium telluride 201

– – of silicon 59
– – theory of solid–liquid interface 253
– – theory of stability of a planar interface 120
– by vertical gradient freeze
– – of cadmium zinc telluride 23
– by zone melting
– – of lithium sodium nitrate 236
– theory of 131
Mercury
– cadmium telluride 35
Morphological stability
– of solid–liquid interface 253
– of yttrium barium cuprate on lantanum aluminate 64
– theory of stepped interface 120

Neodymium
– aluminum borate 207
Nucleation
– of alanine 229
– of barium strontium calcium cerium cuprate 269
– of glycine 229
– of itaconic acid 229
– of succinic acid 229
Numbers
– Grashof 153
– Prandtl 153
– Rayleigh 131, 153, 266
– Reynolds 253
– Schmidt 153
– Stefan 175

Phase diagram
– of alloy solidification 246
Potassium
– sulphate 113
– tantalate niobate 80
Precursor
– for gallium arsenide growth, trisdimethylaminoarsine 143
– for lead titanate 215

Resistivity, see Device characterization

Silicon 59
– germanium 45
Sodium
– oxalate 96, 107
Solution growth technique
– by flux method
– – of neodymium aluminum borate 207
– – of thulium barium cuprate 74
– by gel
– – of potassium tantalate niobate 80
– by metalorganic deposition
– – of yttrium barium cuprate 64
– by traveling heater method
– – of cadmium zinc telluride 23
– – theory of tellurium segregation 196
Statistical mechanics, molecular theory
– of alloy solidification 246
Superconductivity materials, high T_c
– bulk
– – of BSCCCO 269
– – of TBCO 74
– – of YBCO 64
Surface energy, determination
– of sodium oxalate 96, 107
Surface morphology
– of vapor grown mercury cadmium telluride 35
Surface structure
– of gallium arsenide 187
– of indium gallium arsenide cross hatch and misfit dislocations 1
– of sodium oxalate 96, 107
– of zinc selenide 141

Thin film growth, epitaxy
– by chemical beam epitaxy
– – of gallium arsenide 1
– – of indium gallium arsenide 1
– by ionized beam epitaxy
– – of zinc selenide 30
– by liquid phase electroepitaxy
– – of gallium arsenide 153
– by liquid phase epitaxy
– – of indium gallium arsenide phosphide 17
– – of indium gallium phosphide 17
– – theory of 187
– by metalorganic deposition
– – of yttrium barium cuprate 64
– by molecular beam epitaxy
– – of gallium arsenide 143, 167
– – of indium arsenide 12
– – theory of effect of refraction on reflection high energy electron diffraction 141
– by sol–gel
– – of potassium tantalate niobate 80
– by vapor phase epitaxy
– – through metalorganic chemical vapor deposition
– – – of lead titanate 215
– – – of mercury cadmium telluride 35
Thulium
– barium cuprate 74

Vapor growth technique
– by evaporation and condensation
– – of mercury cadmium telluride 35

Yttrium
– barium cuprate 64

Zinc
– selenide 30, 141